

# Contributions to **Mineralogy and Petrology**

---

**Volume 91 1985**

**Executive Editors I.S.E. Carmichael J. Hoefs**

***Editorial Board***

R. Binns North Ryde, Australia  
H.P. Eugster Baltimore, Maryland  
T. Grove Cambridge, Massachusetts  
I. Parsons Aberdeen, Scotland  
Z.E. Peterman Lakewood, Colorado  
W. Schreyer Bochum-Querenburg, F.R.G.  
J. Touret Amsterdam, The Netherlands  
V. Trommsdorff Zürich, Switzerland  
K.H. Wedepohl Göttingen, F.R.G.



**Springer International**

## Contributions to Mineralogy and Petrology

Founded in 1947 by O.H. Erdmannsdörffer. Volume 1 (1949) edited by O.H. Erdmannsdörffer as "Heidelberger Beiträge zur Mineralogie und Petrographie". Continued from Volume 6 (1957) as "Beiträge zur Mineralogie und Petrographie", edited by C.W. Correns. From Volume 12 (1966) to Volume 40 (1973) published as "Contributions to Mineralogy and Petrology/Beiträge zur Mineralogie und Petrographie", edited by C.W. Correns. Beginning with Volume 41 (1973) "Contributions to Mineralogy and Petrology". As of Volume 43 (1974) edited by C.W. Correns and I.S.E. Carmichael. As of Volume 74 (1980) edited by I.S.E. Carmichael and J. Hoefs.

---

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

*Special regulations for photocopies in the USA:* Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US \$0.20 per page, or a minimum of US \$1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0010-7999, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

*Other regulations.* Authors publishing in this journal can, under certain conditions, benefit from library and photocopy fees collected by VG WORT. Authors of German nationality and those resident in the Federal Republic of Germany or Berlin (West), as well as citizens of Austria, Switzerland, and member countries of the European Community, may apply to Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Printers: Universitätsdruckerei H. Stürtz AG Würzburg

© Springer-Verlag GmbH & Co. KG Berlin Heidelberg 1985  
Printed in Germany

## Contents

- Arima, M., s. Lloyd, F.E., et al. 321-329
- Arman, M.B., s. Okay, A.I., et al. 196-204
- Armbruster, T.: Fe-rich cordierites from acid volcanic rocks, an optical and x-ray single-crystal structure study 180-187
- Barber, D.J., Reeder, R.J., Smith, D.J.: A TEM microstructural study of dolomite with curved faces (saddle dolomite) 82-92
- Black, P.M., s. Itaya, T., et al. 151-162
- Brey, G.P., s. Nickel, K.G., et al. 44-53
- Brothers, R.N., s. Itaya, T., et al. 151-162
- Cameron, K.L., Cameron, M.: Rare earth element,  $^{87}\text{Sr}/^{86}\text{Sr}$ , and  $^{143}\text{Nd}/^{144}\text{Nd}$  compositions of Cenozoic orogenic dacites from Baja California, northwestern Mexico, and adjacent west Texas: evidence for the predominance of subcrustal component 1-11
- Cameron, M., s. Cameron, K.L. 1-11
- Cameron, W.E., s. Crawford, A.J. 93-104
- Campbell, I.H.: The difference between oceanic and continental tholeiites: a fluid dynamic explanation 37-43
- Cathelineau, M., Nieva, D.: A chlorite solid solution geothermometer. The Los Azufres (Mexico) geothermal system 235-244
- Corwin, C., s. Fodor, R.V., et al. 54-65
- Crawford, A.J., Cameron, W.E.: Petrology and geochemistry of Cambrian boninites and low-Ti andesites from Heathcote, Victoria 93-104
- Davidson, P.M.: Thermodynamic analysis of quadrilateral pyroxenes. Part I: Derivation of the ternary non-convergent site-disorder model 383
- Davidson, P.M., Lindsley, D.H.: Thermodynamic analysis of quadrilateral pyroxenes. Part II: Model calibration from experiments and applications to geothermometry 390
- Dick, H.J.B., s. Kimball, K.L., et al. 307-320
- Duda, A., Schmincke, H.-U.: Polybaric differentiation of alkali basaltic magmas: evidence from green-core clinopyroxenes (Eifel, FRG) 340-353
- Duddy, I.R., s. Zeitler, P.K., et al. 305-306
- Edgar, A.D., s. Lloyd, F.E., et al. 321-329
- Erlank, A.J., s. Haggerty, S.E., et al. 163-170
- Ferry, J.M.: Hydrothermal alteration of Tertiary igneous rocks from the Isle of Skye, northwest Scotland. I. Gabbros 264-282
- Ferry, J.M.: Hydrothermal alteration of Tertiary igneous rocks from the Isle of Skye, northwest Scotland. II. Granites 283-304
- Fine, G., Stolper, E.: The speciation of carbon dioxide in sodium aluminosilicate glasses 105-121
- Fodor, R.V., Corwin, C., Roisenberg, A.: Petrology of Serra Geral (Paraná) continental flood basalts, southern Brazil: crustal contamination, source material, and South Atlantic magmatism 54-65
- Gleadow, A.J.W., s. Zeitler, P.K., et al. 305-306
- Göncüoğlu, M.C., s. Okay, A.I., et al. 196-204
- Green, P.F., s. Zeitler, P.K., et al. 305-306
- Green, T.H., Pearson, N.J.: Rare earth element partitioning between clinopyroxene and silicate liquid at moderate to high pressure 24-36
- Griffin, W.L., Mellini, M., Oberti, R., Rossi, G.: Evolution of coronas in Norwegian anorthosites: re-evaluation based on crystal-chemistry and microstructures 330-339
- Haggerty, S.E., Moore, A.E., Erlank, A.J.: Macrocryst Fe-Ti oxides in olivine melilitites from Namaqualand-Bushmanland, South Africa 163-170
- Haggerty, S.E., s. Tompkins, L.A. 245-263
- Harris, C., s. Sheppard, S.M.F. 74-81
- Hooper, P.R.: A case of simple magma mixing in the Columbia River Basalt Group: The Wilbur Creek, Lapwai, and Asotin Flows, Saddle Mountains Formation 66-73
- Horton, D.G.: Mixed-layer illite/smectite as a paleotemperature indicator in the Amethyst vein system, Creede district, Colorado, USA 171-179
- Hurford, A.J., s. Zeitler, P.K., et al. 305-306
- Itaya, T., Brothers, R.N., Black, P.M.: Sulfides, oxides and sphene in high-pressure schists from New Caledonia 151-162
- Katz-Lehnert, K., s. Sommerauer, J. 354-359, 360-368
- Kimball, K.L., Spear, F.S., Dick, H.J.B.: High temperature alteration of Abyssal ultramafics from the Islas Orcadas Fracture Zone, South Atlantic 307-320
- Kogarko, L., s. Nickel, K.G., et al. 44-53
- Lindsley, D.H., s. Davidson, P.M. 390
- Lloyd, F.E., Arima, M., Edgar, A.D.: Partial melting of a phlogopite-clinopyroxene nodule from south-west Uganda: an experimental study bearing on the origin of highly potassic continental rift volcanics 321-329
- Marsh, B.D., s. Myers, J.D., et al. 221-234
- Mellini, M., s. Griffin, W.L., et al. 330-339
- Moore, A.E., s. Haggerty, S.E., et al. 163-170
- Moore, J.M., s. Waters, D.J. 369-382
- Muehlenbachs, K., s. Sturchio, N.C. 188-195
- Myers, J.D., Marsh, B.D., Sinha, A.K.: Strontium isotopic and selected trace element variations between two Aleutian volcanic centers (Adak and Atka): implications for the development of arc volcanic plumbing systems 221-234
- Mysen, B.O., Virgo, D.: Structure and properties of fluorine-bearing aluminosilicate melts: the system  $\text{Na}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{F}$  at 1 atm 205-220
- Nickel, K.G., Brey, G.P., Kogarko, L.: Orthopyroxene-clinopyroxene equilibria in the system  $\text{CaO}-\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2$  (CMAS): new experimental results and implications for two-pyroxene thermometry 44-53
- Nieva, D., s. Cathelineau, M. 235-244
- Oberti, R., s. Griffin, W.L., et al. 330-339
- Okay, A.I., Arman, M.B., Göncüoğlu, M.C.: Petrology and phase relations of the kyanite-eclogites from eastern Turkey 196-204
- Pearson, N.J., s. Green, T.H. 24-36
- Peterman, Z.E., Sims, P.K., Zartman, R.E., Schulz, K.J.: Middle Proterozoic uplift events in the Dunbar dome of northeastern Wisconsin, USA 138-150
- Reeder, R.J., s. Barber, D.J., et al. 82-92
- Roisenberg, A., s. Fodor, R.V., et al. 54-65
- Rossi, G., s. Griffin, W.L., et al. 330-339
- Schmincke, H.-U., s. Duda, A. 340-353
- Schulz, K.J., s. Peterman, Z.E., et al. 138-150
- Sheppard, S.M.F., Harris, C.: Hydrogen and oxygen isotope geochemistry of Ascension Island lavas and granites: variation with crystal fractionation and interaction with sea water 74-81
- Sims, P.K., s. Peterman, Z.E., et al. 138-150
- Sinha, A.K., s. Myers, J.D., et al. 221-234
- Smith, D.J., s. Barber, D.J., et al. 82-92

- Sommerauer, J., Katz-Lehnert, K.: Trapped phosphate melt inclusions in silicate-carbonate-hydroxyapatite from comb-layer alvikites from the Kaiserstuhl carbonatite complex (SW-Germany) 354-359
- Sommerauer, J., Katz-Lehnert, K.: A new partial substitution mechanism of  $\text{CO}_3^{2-}/\text{CO}_3\text{OH}^{2-}$  and  $\text{SiO}_4^{4-}$  for the  $\text{PO}_4^{3-}$  group in hydroxyapatite from the Kaiserstuhl alkaline complex (SW-Germany) 360-368
- Spear, F.S., s. Kimball, K.L., et al. 307-320
- Stolper, E., s. Fine, G. 105-121
- Sturchio, N.C., Muehlenbachs, K.: Origin of low- $^{18}\text{O}$  metamorphic rocks from a Late Proterozoic shear zone in the Eastern Desert of Egypt 188-195
- Taylor, H.P. Jr., s. Wickham, S.M. 122-137
- Tompkins, L.A., Haggerty, S.E.: Groundmass oxide minerals in the Koidu kimberlite dikes, Sierra Leone, West Africa 245-263
- Tsuchiyama, A.: Partial melting kinetics of plagioclase-diopside pairs 12-23
- Virgo, D., s. Mysen, B.O. 205-220
- Waters, D.J., Moore, J.M.: Kornerupine in Mg-Al-rich gneisses from Namaqualand, South Africa: mineralogy and evidence for late-metamorphic fluid activity 369
- Wickham, S.M., Taylor, H.P. Jr.: Stable isotopic evidence for large-scale seawater infiltration in a regional metamorphic terrane; the Trois Seigneurs Massif, Pyrenees, France 122-137
- Zartman, R.E., s. Peterman, Z.E., et al. 138-150
- Zeitler, P.K., Duddy, I.R., Gleadow, A.J.W., Green, P.F., Hurford, A.J.: Comment on "zircon and sphene as fission track geochronometer and geothermometer: a reappraisal" by K.D. Bal, N. Lal, and K.K. Nagpaul 305-306,

Subject-Index V  
List of Locations VIII

*Indexed in Current Contents/  
Abstracted in Mineralogical Abstracts*



L

25

I



# Subject Index

- Abyssal ultramafics, alteration** 307ff.  
**actinolite** 310  
**Al-augite, Eifel alkalibasalts** 347  
**Al-contents, coex. ortho/clino-pyroxenes, geothermometry** 46f.  
**alkali basalt, Ascension** 74  
**alkali feldspar, Skye granite** 287  
 -, -, turbid 290  
**alkali volcanism, Uganda** 321f.  
**allanite** 289  
**Al-silicates, F-bearing, Raman spectra** 207ff.  
**alteration, hydrothermal, gabbros** 264ff.  
 -, -, granites 283ff.  
 -, -, ultramafics 307ff.  
**alteration temperature, abyssal ultramafics** 316  
**alvikites, Kaiserstuhl** 354f.  
**amethyst veins, paleotemp. indicator** 171f.  
**amorphous phosphate, apatite inclusion, alvikite** 357f.  
**amphibole** 323  
 -, coronas, crystal chemistry 332  
 -, eclogites 196f.  
 -, Skye gabbros 266f.  
 -, Skye granites 284f.  
 -, veins, abyssal ultramafics 311f.  
**amphibolite** 196  
**anatexis, O isotopic relations in quartz** 129f.  
**andalusite - sillimanite schists, stable isotope data** 126  
**andesite** 57, 236  
 -, Heathcote 94  
 -, subduction zone 1ff.  
**andradite, Skye gabbros** 270  
**anorthoclase, dacite** 3  
**anorthosites, Norway, corona evolution** 330ff.  
**antigorite** 312  
**apatite** 322  
 -, alvikites, melt inclusions 354ff.  
 -, carbonatites, substitutions 360f.  
**arc magmatism, continental** 1ff.  
**argillitic alteration, veins** 174f.  
**assimilation, continental tholeiites** 37f.  
**augite** 94  
 -, Skye gabbros 266f.  
**B, kornerupine** 369f.  
**basalt, Ascension, O isotopic composition** 75  
 -, crustal contamination 54f.  
 -, petrogenetic models 66  
**basanite** 340f.  
**bastite, abyssal ultramafics** 309  
**bergalite** 363  
**biotite** 140, 322  
 -, age pattern, Dunbar region 146  
 -, dacite 3  
 -, Skye gabbros 270  
 -, Skye granites 287  
**biotite granites, stable isotope data** 126f.  
**boninites, geochemistry** 93ff.  
 -, petrogenesis 101f.  
**bornite** 153  
**Calcite, alvikite** 354f.  
 -, intergrowths in saddle dolomite 88f.  
 -, Skye gabbros 270  
 -, Skye granites 291  
**carbonatite, Kaiserstuhl** 354f., 360f.  
**chalcopyrite** 153  
**chemical analysis, amphibole, altered abyssal ultramafics** 308  
 -, -, coronas 332  
 -, -, eclogites 199  
 -, -, Skye gabbros 268  
 -, -, Skye granites 287  
 -, andesites, Heathcote 97  
 -, apatites, alvikites 357, 362  
 -, -, silicate magmatites 362  
 -, -, soevites 362  
 -, augite, Skye gabbros 266  
 -, basalt, Columbia River 70  
 -, -, Walvis Ridge 62  
 -, basanite, Eifel 341  
 -, biotite, Skye gabbro 269  
 -, -, Skye granites 286  
 -, boninites, Heathcote 97  
 -, calcite, Skye gabbros 269  
 -, chalcopyrite, high-pressure schists 156  
 -, chlorite, abyssal ultramafics 313  
 -, -, Los Azufres 238  
 -, -, Skye gabbros 268  
 -, -, Skye granites 288  
 -, chromites, boninites 95  
 -, clinopyroxenes, abyssal ultramafics 309  
 -, -, andesites 27, 94  
 -, -, boninites 94  
 -, -, Columbia River basalts 69  
 -, -, coronas 332  
 -, -, Eifel alkalibasalts 347  
 -, comendite, Ascension 75  
 -, cordierite, olivine melilitites 181  
 -, dacites, Baja California 4  
 -, epidote, Skye gabbros 269  
 -, -, Skye granite 289  
 -, ferroaugites, Skye granite 286  
 -, flood basalts, Serra Geral 56, 62  
 -, foidite, Eifel 341  
 -, gabbro, Ascension 75  
 -, -, Skye 271  
 -, garnet, eclogites 199  
 -, -, high-pressure schists 156  
 -, -, Skye gabbros 269  
 -, gneiss, Meatiq 190  
 -, granites, Ascension 75  
 -, -, Skye 285, 292  
 -, hematite, high-pressure schists 156  
 -, ilmenite, high-pressure schists 156  
 -, -, kimberlites 252  
 -, -, Skye gabbros 267  
 -, -, Skye granites 288  
 -, ilmenite macrocrysts, olivine melilitites 166  
 -, katungite 327  
 -, kornerupine, Namaqualand 373  
 -, lavas, Adak 224  
 -, -, Ascension 75  
 -, -, Atka 226  
 -, -, Uganda 323  
 -, magnetite, Skye gabbro 267  
 -, -, Skye granite 288  
 -, montmorillonite, Skye gabbro 268  
 -, -, Skye granite 288  
 -, muscovite, Skye granite 290  
 -, olivine abyssal ultramafics 312  
 -, -, Columbia River basalts 69  
 -, -, Skye gabbro 267  
 -, -, Skye granite 287  
 -, olivine nephelinite, Eifel 341  
 -, omphacite, eclogite 199  
 -, orthopyroxene, abyssal ultramafics 311  
 -, -, coronas 332  
 -, -, Skye gabbros 267  
 -, phengite, eclogite 199  
 -, -, phlogopite, kornerupine gneiss 374  
 -, plagioclase, Columbia River basalts 69  
 -, -, Skye gabbros 267  
 -, -, Skye granite 287  
 -, prehnite, Skye granite 289  
 -, pyrite, high-pressure schists 156  
 -, pyrrhotin, high-pressure schists 156  
 -, rutile, high-pressure schists 156  
 -, -, kimberlites 250  
 -, serpentine, abyssal ultramafics 312  
 -, sphene, high-pressure schists 156  
 -, spinels, kimberlites 250  
 -, -, ultramafics, abyssal 314  
 -, talc, Skye gabbros 267  
 -, zeolite, Skye granite 289  
**chlorite** 309  
 -, Skye gabbros 266f.  
 -, Skye granites 291  
 -, solid solutions, geothermometry 235ff.  
 -, veins, abyssal ultramafics 312  
**chromite, boninites** 95  
**chrysotile** 312  
**C isotopic data, metapelites, Pyrénées** 126f.  
**clinopyroxene** 307f., 322, 340f.  
 -, Aleutian lavas 223f.  
 -, andesite 94f.  
 -, basalt phenocrysts 68  
 -, coronas 331f.  
 -, dacite phenocrysts 31f.  
 -, hydration, ultramafics 307, 313f.  
 -, silicate liquid, REE partitioning 24f.  
**clinopyroxene nodules, Uganda rift volcanics** 321ff.  
**CO<sub>2</sub>, igneous rock petrogenesis** 105f.  
 -, silicate melts, speciation 112ff.  
 -, -, solubility mechanism 117f.  
**comb-layer apatite, carbonatites** 354f.  
**comendite, Ascension** 74  
**contamination, Aleutian lava genesis** 228f.  
 -, continental tholeiites 37f.  
**continental basalts, crustal contamination** 37f., 54f.  
**continental crust, dacite genesis** 11f.  
**cordierite** 70  
 -, types 180  
 -, -, Fe - Mg substitution 185  
 -, -, Si - Al ordering 185  
 -, volatiles in structural cavities 184  
**corona evolution, anorthosites** 330ff.

- corona textures, kyanite eclogites 199  
 covellite 153  
 Cr-diopside, alkalibasalts 347  
 critical temperature, partial melting experiments 19  
 crustal contamination, basalts 54f.  
 -, continental tholeiites 37f.  
 crystal defects, saddle dolomite 82ff.  
 crystal fractionation, Ascension lavas 77f.  
 crystal-liquid equilibria, F influence 218
- Dacite** 236  
 -, subduction zone 1ff.  
 dahlite 360  
 decarbonization, high-pressure schists 161  
 defect microstructure, saddle dolomite 83f.  
 differentiation, alkali basaltic magmas 340ff.  
 diffusion, partial melting 12ff.  
 dikes, Koidu 246  
 diopside 307  
 -, plagioclase assoc., partial melting experiments 12ff.  
 diopside - enstatite equilibria 395  
 distortion, cordierites 181  
 -, saddle dolomite 82f.  
 dolomite, TEM study 80f.  
 dykes, assimilation 39
- Eclogites** 330  
 -, kyanite 196f.  
 edenite 309  
 electron irradiation, effect on defects in dolomite 89  
 ellestadite 360  
 enstatite 307  
 epidote 140  
 -, Skye gabbros 270  
 -, Skye granites 291  
 epistilbite 291  
 equilibria, melting experiments 21, 327  
 -, quadrilateral pyroxenes 395f.  
 Eu anomalies, Meatiq gneiss 190
- F, igneous rocks** 205ff.  
 -, solubility mechanism in melts 214f.  
 fayalite, Skye granite 287  
 Fe-cordierites, volcanics 180ff.  
 ferro augite, Skye granites 286  
 Fe - Ti oxides, kimberlites 245ff.  
 -, metamorphic belts 151ff.  
 -, olivine melilitites 163ff.  
 fission track geochronology, zircon and sphene 305  
 flood basalts, petrology 54f.  
 fluid-crust interaction, isotope studies 122f.  
 fluid-infiltration, metamorphic terranes 131f.  
 fluorite 289  
 foidite, Eifel 342f.  
 fractional crystallization, flood basalts 58  
 francolite 360  
 fringe contrast, dolomites 85
- Gabbros, hydrothermal alteration** 264ff.  
 garnet, eclogites 200  
 -, high-pressure schists 153f.
- gedrite 371  
 geikielite, kimberlite dikes 252f.  
 geochronology, Dunbar dome 140f.  
 geothermal systems, illite/smectite temperature indicating 171f.  
 geothermometry, gabbro alteration 277  
 -, chlorite solid solution 235ff.  
 -, coex. ortho-/clinopyroxenes 45ff.  
 -, pyroxenes 45f., 390ff.  
 -, Skye granites 297  
 glass, melting experiments 17f.  
 -, -, Uganda lavas 324  
 -, silicate, CO<sub>2</sub> speciation 112ff.  
 gneiss, Dunbar dome 139f.  
 -, kornepine-bearing 369f.  
 -, O isotopic compos. 189  
 gneiss geochronology, Dunbar dome 141  
 gneiss terrains, kyanite eclogites 196f.  
 granite, Ascension 74f.  
 -, hydrothermal alteration 283ff.  
 -, Sr isotopic compos. 80  
 granodiorite, O isotopic data 128f.  
 -, -, origin 129  
 graphite, high-pressure schists 151f.  
 green clinopyroxenes, alkali basalts 340ff.  
 greenstone belts, Victoria 93f.
- Harzburgite** 307  
 hawaiiite, Ascension 74  
 hematite, high-pressure schists 153  
 -, kimberlite dikes 247  
 hematite/ilmenite miscibility gap, high-pressure schists 158  
 Henry's law, REE partitioning between clinopyroxenes/melt 30f.  
 high-pressure schists, New Caledonia, Fe - Ti oxides 151f.  
 H isotopes, Ascension granites and obsidian 76f.  
 -, metapelites, Pyrenees 126f.  
 H<sub>2</sub>O, effect on REE partitioning 29  
 -, obsidian, origin 78  
 hornblende 140  
 -, clinopyroxene hydration 307f.  
 hydration, clinopyroxene, abyssal ultramafics 307f.  
 -, olivine, abyssal ultramafics 309f., 315  
 -, orthopyroxene, abyssal ultramafics 309, 313f.  
 hydrothermal alteration, abyssal ultramafics 307ff.  
 -, Skye granites 295  
 hypersthene, Skye gabbros 266f.
- illite/smectite mixed-layer, paleotemp. indicator 171f.  
 ilmenite 309, 371  
 -, high-pressure schists 153  
 -, kimberlites 245ff.  
 -, macrocrysts in olivine melilitites 163ff.  
 -, Skye granite 289  
 infiltration, seawater in metamorphic terrane, isotope studies 122ff.  
 IR spectra, CO<sub>2</sub>-bearing silicate glasses 107f.  
 island arc volcanism, Sr isotopic data 221ff.  
 isotopic alteration, Skye granite 301
- Jadeite glass, CO<sub>2</sub> speciation** 107ff.
- Katungite** 327  
 kimberlites, oxides 245ff.  
 kinetics, partial melting of plagioclase/diopside 12ff.  
 kornepine, Namaqualand gneiss 369ff.  
 kyanite 197f.  
 kyanite eclogites, Turkey 196ff.
- Lamellae, Fe - Ti oxides** 164f.  
 lavas, Aleutians, Sr isotopic studies 221ff.  
 -, Ascension, geochemistry 74f.  
 lawsonite 152  
 leucite 340f.  
 low-Ti andesites, Heathcote 93ff.
- Macrocrysts, olivine melilitites** 163f.  
 magma chambers, assimilation 38  
 magma contamination, basalts 54f.  
 magma evolution, alkalibasalt 340f.  
 -, petrogenetic models 33f.  
 magma generation, low-Ti 102  
 magma mixing, basalt genesis 62f.  
 -, Columbia River basalts 66f.  
 magmatic arc, western N-America, history 3  
 magnetite, Aleutian lavas 223f.  
 -, phenocrysts in dacite 3f.  
 -, Skye gabbros 266  
 -, Skye granites 289  
 magnetite-ilmenite thermometry, gabbros 277  
 magnetite/perovskite intergrowths, olivine melilitites 164  
 mantle material, hydrothermal fluid interaction 307f.  
 mantle source, basalt petrogenesis 63, 66f.  
 mass balance, gabbro alteration 271f.  
 -, granite alteration, Skye 291f.  
 melting experiments, mantle-derived nodules 321ff.  
 -, plagioclase - diopside pairs 12ff.  
 melting textures, plagioclase - diopside pairs 14f.  
 melts, F-bearing, Raman spectra 206ff.  
 -, -, viscous behaviour 217f.  
 metacherts, parageneses 157  
 metamorphic belts, New Caledonia 151  
 metamorphism, boninites, element mobility 96f.  
 -, Pyrenees 123f.  
 metasomatism, mantle 351  
 microcline 140  
 migmatites, Pyrenees, stable isotope data 126ff.  
 mineral/fluid reactions, hydrothermal gabbro alteration 274f.  
 mixed-layer illite/smectite, paleotemp. indicator 171f.  
 Moiré fringes, saddle dolomite 84  
 montmorillonite, Skye gabbro 270  
 -, Skye granites 291  
 monzonite, Ascension 74  
 muscovite, Skye granite 291  
 mylonite, O isotopic compos. 189
- Nd isotopic compos., dacites** 6  
 nephelinites 340f.  
 Ni/Zr, basalt petrogenesis 63



- Obsidian, Ascension, O isotopic comp. 75  
oceanic tholeiites, geochem. characterization 37f.  
ocean ridge tectonics 307  
O fugacity, effect on REE partitioning 30  
-, kimberlites 259  
O fugacity barometry, Skye granites 298f.  
O isotopic composition, Ascension lavas and granites 75f.  
-, Meatiq gneiss 191  
-, metamorphic rocks 188f.  
-, metapelites 125f.  
olivine 54  
-, abyssal ultramafics 307  
-, -, hydration 309  
-, Aleutian lavas 223f.  
-, basalt petrogenesis 67  
-, Skye gabbros 266f.  
olivine gabbro, Ascension 74  
olivine mellilites, Fe-Ti oxides 163f.  
omphacite 152, 196f.  
ophiolite 196  
orthopyroxene 307, 370  
-, Aleutian lavas 223f.  
-, coronas, crystal chemistry 333  
-, phenocrysts in andesite 94  
-, phenocrysts in dacite 3f.  
orthopyroxene/clinopyroxene equilibria 44f.  
orthopyroxene hydration, abyssal ultramafics 307, 313f.  
oxides, carbonatites 261f.  
-, kimberlites 245ff., 261 f.
- Paleotemperature indicator, veins 171f.**  
Parana flood basalts, petrogenesis 54f.  
partial melting, mineral mixtures 12f.  
-, Uganda lavas 325f.  
partition coefficients, REE between clinopyroxene/melts 25f.  
pelites, metamorphic fluid compos. 159  
perovskite, intergrown with magnetite 164  
-, kimberlites 245ff.  
phengites 197  
phenocrysts, Aleutian lavas 223f.  
-, dacite 3f.  
-, Eifel alkali basalts, zonation 340ff.  
phlogopite 322, 370  
phonolite 363  
phosphate inclusions, apatite 354f.  
phyllonite, O isotopic compos. 188f.  
pigeonite 54, 69  
-, lamellae, coronas 335  
plagioclase 140, 370  
-, Aleutian lavas 223f.  
-, basalt phenocrysts 68  
-, eclogites 198  
-, phenocrysts in dacite 3f.  
-, Skye gabbros 266f.  
-, Skye granites 287
- plagioclase - diopside pairs, partial melting 12f.  
planar defects, dolomites 85  
plate tectonics, western N-America 1f.  
P<sub>2</sub>O<sub>5</sub>, Columbia River basalts 70  
polymerization, melts, CO<sub>2</sub> effect 105  
prehnite, abyssal ultramafics 312  
-, Skye gabbros 270  
-, Skye granites 291  
pressure effect, REE partitioning 28  
pyrite, high-pressure schists 153  
pyroclastics, Ascension 74f.  
pyrophanite, kimberlite dikes 252f.  
pyroxenes, quadrilateral, thermodynamics 383ff., 390f.  
pyroxene thermometry 277  
pyrrhotite, high-pressure schists 153
- Quartz 370**  
-, Dunbar gneiss 140  
-, eclogites 198  
-, metapelites, O isotopic data 126f.  
-, Skye gabbros 270  
-, Skye granites 289
- Raman spectra, melts 207f.**  
rare earth elements, dacite 3ff.  
-, partitioning between clinopyroxene/melts 24f.  
Rb-Sr data, Dunbar gneiss 142  
reaction zones, melting experiments 20  
recrystallization, partial melting 19  
REE patterns, boninites 98  
-, Meatiq metamorphics 190  
retrograde reactions, high-pressure schists 156f.  
rhyodacite 57  
-, cordierites 180f.  
rhyolites 1f.  
-, crustal origin 57  
rift system, Keweenaw 138f.  
rift volcanics, potassic continental, ex-perim. petrogenesis 321ff.  
rodingite 307  
rutile, high-pressure schists 152f.  
-, kimberlite dikes 259
- Saddle dolomite, TEM study 82ff.**  
sanidine, dacite 3  
sapphirine 370  
serpentine 309  
serpentine veins, abyssal ultramafics 312, 317  
Si-Al ordering, cordierites 185  
silicate liquid/clinopyroxene, REE partitioning 24f.  
silicate melts, CO<sub>2</sub>-solubility 105f.  
sillimanite 371  
Skye gabbros, thermal history 279  
soevite, apatites 354  
solid solutions, partial melting 12f.
- spinel 289, 322, 305  
-, high-pressure schists 152f.  
spinel 307  
-, kimberlites 247ff.  
Sr isotopic compos., dacites 5  
-, granites 80  
subduction, western N-America 1f.  
subduction zones, boninites 93f.  
substitutions, carbonatite apatites 360ff.  
-, chlorites 240  
system, CaO-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, equilibria 44f.  
-, Na<sub>2</sub>O-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, F-bearing 205ff.
- Talc, orthopyroxene hydration, abyssal ultramafics 309f., 317  
-, Skye gabbros 270  
-, veins, abyssal ultramafics 312  
tectonic events, Dunbar dome 140  
tephrite 342, 363  
thermodynamics, quadrilateral pyroxenes 383f., 390f.  
thermometry, two-pyroxenes 45f.  
tholeiites, type differences 37f.  
TiO<sub>2</sub>, andesites and boninites 96f.  
-, Columbia River basalts 71  
titanaugite, Eifel alkalibasalts 348  
titanomagnetite 250  
tourmaline 370  
trace elements, Adak lavas 225  
-, clinopyroxene phenocrysts, Eifel volcanics 346  
-, dacites 4  
trachyte, Ascension 74  
tremolite 309  
turbid feldspars, Skye granites 290
- Ultramafics, alteration 307ff.**  
uplift, Dunbar dome 139ff.
- Veins, abyssal ultramafics 309f.**  
-, illite/smectite 172f.  
volatiles, igneous rocks 205f.  
volcanic centers, Aleutians 232  
volcanism, Uganda 321f.
- Water - magma interaction 79**  
willeite 360  
wüstite, kimberlites 250f.
- Xenoliths, Eifel volcanics 342f.**
- Zeolite, Skye granite 291**  
Zircon 289  
-, fission track geochronology 305  
zoisite, eclogites 200  
zonation, clinopyroxenes, alkali basalts 340ff.  
-, cordierites 180  
-, spinels from kimberlites 247f.